44	Type L # Hits	Search Text	DBs	Time Stamp	Comme	Comme Definit ro	ro rs
710	8	7103 (lower or bottom or first) near3 (electrode\$1 or plate\$1)	ottom or (electrode\$1 DERWENT; IDB	2004/09/26 11:09	·		0
709	06	7090 (top or upper or second) EPO; JPO; near3 (electrode\$1 or DERWENT; IBM_TDB		2004/09/26 11:09			0
44 4	4	ferroelectric\$3 or ferro-electric\$3 or 4414 (ferro adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or ferro-dielectric\$1 or ferro-dielectric\$1)	S-PGPUB;	2004/09/26			0

ints ion rs			0	
Stanip	2004/09/26		2004/09/26	2004/09/26 11:12 2004/09/26 11:12
	PGPUB;	-	PGPUB;	· <del>[</del>
	or ((Fe or rroelectric\$3 or slectric\$3 or slectric\$1 or tric\$1 or sielectric\$1) acitor\$1 or r (random adj		fence\$2 or sidewall\$1 side-wall\$1 wall\$1) or	fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or spacer\$1 wall\$1) or spacer\$1 1 and 2
	9554 1	-	1588 s 040 s	BRS L5 1588 S V V V V V V V V V V V V V V V V V V
	7	-	LS	L5 L6
	BRS L4		BRS L5	BRS
	4			

	Type L#	T #	Hits	Search Text	DBs	Time Stamp	Comme	Comme Definit ro	ro rs
	BRS L8	87 178	1338	1338 7 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26			0
	BRS L9	67	, 5845 31	5845 fence\$2 or residue\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26			. 0
10	BRS	L'10	1400	BRS L10 1400 (Ir or "Ir" or iridium) near15 barrier\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:15	`		0
11	BRS L11 86	[1]	98	9 and 10 and 6 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26 11:30			0
12	BRS L12 77	L12	77	fence\$2 with (cling\$4 or USPAT; U attach\$4) with EPO; JPO; (side-wall\$1 or (side adj IBM_TDB wall\$1))	S-PGPUB; T;	2004/09/26			0

Type L #	T #	Hits	Search Text	DBs	Time Stamp	Comme Definit ro	Error Er Definit ro ion rs	ro rs
BRS L13 4	L13	4	12 and 6 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/26			0
 IS&R	L14	1395	IS&R L14 1395 (438/3).CCLS.	USPAT; US-PGPUB	2004/09/26 12:05			0
 IS&R	L15	1131	IS&R L15   1131 (438/240).CCLS.	USPAT; US-PGPUB	2004/09/26 12:06			0
 BRS L17 920	L17	920	14 not 15	USPAT; US-PGPUB	2004/09/26 12:06			0
BRS L16 656	L16	959	15 not 14	USPAT; US-PGPUB	2004/09/26 12:20			0
BRS L18 691	L18	691	438/695	USPAT; US-PGPUB	2004/09/26 12:20			0
 IS&R	L19	1818	IS&R L19   ((438/695) or (438/696) or (438/696) or (438/701) or (438/702) or (438/713)).CCLS.	USPAT; US-PGPUB $\begin{vmatrix} 2004/09/26 \\ 12:21 \end{vmatrix}$	2004/09/26 12:21			0
IS&R L20 408	L20	408	(438/734).CCLS.	USPAT; US-PGPUB $\begin{vmatrix} 2004/09/26 \\ 12:22 \end{vmatrix}$	2004/09/26 12:22			0

L Number	Hits	Search Text	DB	Time stamp
1	710347	(lower or bottom or first) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
_		(contract of family)	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
2	709023	(top or upper or second) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
-	707023	(top of apper of second) fields (electrodes) of places ()	US-PGPUB;	2004/05/20 11.05
			ЕРО; ЛРО;	
			DERWENT;	
,	44144		IBM_TDB	2004/00/26 11:10
3	44144	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	USPAT;	2004/09/26 11:10
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	US-PGPUB;	
			ЕРО, ЈРО,	
			DERWENT;	]
Ì			IBM_TDB	
4	9554	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/26 11:10
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	ЕРО; ЛРО;	
		memor\$3))))	DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
5	1588040	fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)	USPĀT;	2004/09/26 11:12
		or spacer\$1	US-PGPUB;	
		- v. sparent.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	459481	((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:12
٠	433461	upper or second) near3 (electrode\$1 or plate\$1))	US-PGPUB;	2004/09/20 11.12
		upper of second) hears (electrodes) of praces)		
			ЕРО; ЛРО;	
			DERWENT;	
_	41.00		IBM_TDB	2004/00/06 11 12
7	4166	(((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:13
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	US-PGPUB;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	ЕРО; ЛРО;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	DERWENT;	
		(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))	IBM_TDB	
8	1338	((((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPAT;	2004/09/26 11:14
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	US-PGPUB;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	ЕРО; ЛРО;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	DERWENT;	
		(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))) and	IBM_TDB	
		(fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)	_	
		or spacer\$1)		
9	584531	fence\$2 or residue\$1	USPAT;	2004/09/26 11:14
	_		US-PGPUB;	,
			ЕРО; ЛРО;	
j			DERWENT;	
			IBM TDB	
10	1400	(Ir or "Ir" or iridium) near15 barrier\$1	USPAT;	2004/09/26 11:15
10	1400	(11 of 11 of friends) from 13 officer (1)	US-PGPUB;	2007109120 11.13
			EPO; JPO;	
ŀ				
			DERWENT;	
11	0.0	(formant) on manidus (1) and (/To an III an Initial)	IBM_TDB	2004/00/06 :: 50
11	86	(fence\$2 or residue\$1) and ((Ir or "Ir" or iridium) near15 barrier\$1) and	USPAT;	2004/09/26 11:30
		(((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	US-PGPUB;	
		upper or second) near3 (electrode\$1 or plate\$1))) and (FeRAM\$ or ((Fe	ЕРО; ЈРО;	
		or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	DERWENT;	
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1))) near3	IBM_TDB	
		(capacitor\$1 or (RAM\$1 or (random adj access adj memor\$3)))))		
12	77	fence\$2 with (cling\$4 or ahher\$4 or stick\$4 or attach\$4) with	USPAT;	2004/09/26 11:31
		(sidewall\$1 or side-wall\$1 or (side adj wall\$1))	US-PGPUB;	
			ЕРО; ЈРО;	
l.				
			DERWENT;	

				<del></del>
13	4	(fence\$2 with (cling\$4 or ahher\$4 or stick\$4 or attach\$4) with	USPAT;	2004/09/26 11:32
		(sidewall\$1 or side-wall\$1 or (side adj wall\$1))) and (((lower or bottom	US-PGPUB;	
		or first) near3 (electrode\$1 or plate\$1)) and ((top or upper or second)	ЕРО; ЈРО;	
		near3 (electrode\$1 or plate\$1))) and (ferroelectric\$3 or ferro-electric\$3	DERWENT;	
		or (ferro adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or	IBM_TDB	
1,4	1205	(ferro adj dielectric\$1))	I I CD A T	2004/00/26 12 05
14	1395	(438/3).CCLS.	USPAT;	2004/09/26 12:05
1,,		(420/0.40), OGL G	US-PGPUB	2004/00/06 12 06
15	1131	(438/240).CCLS.	USPAT;	2004/09/26 12:06
1.5		((420/2) GOT G.) ((420/240) GOT G.)	US-PGPUB	2004/00/06 12 06
17	920	((438/3).CCLS.) not ((438/240).CCLS.)	USPAT;	2004/09/26 12:06
16	656	((429/240) COLS ) ==4 ((429/2) COLS )	US-PGPUB	2004/09/26 12:20
10	. 030	((438/240).CCLS.) not ((438/3).CCLS.)	USPAT; US-PGPUB	2004/09/20 12.20
18	691	438/695	USPAT;	2004/09/26 12:20
10 .	091	430/073	US-PGPUB	2004/03/20 12.20
19	1818	((438/695) or (438/696) or (438/701) or (438/702) or (438/713)).CCLS.	USPAT;	2004/09/26 12:21
17	1010	((436/073) 61 (436/076) 61 (436/761) 61 (436/762) 61 (436/713)).00005.	US-PGPUB	2004/03/20 12.21
20	408	(438/734).CCLS.	USPAT;	2004/09/26 12:22
.~~	700	(.55.751),0000.	US-PGPUB	200 110 7120 12.22
  -	44144	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3) or	USPAT;	2004/09/26 11:09
		ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	US-PGPUB;	200 1/05/20 11:05
		(2012)	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
1 -	9554	FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/26 11:10
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	ЕРО; ЛРО;	
		memor\$3))))	DERWENT;	
			IBM_TDB	
-	1588040	fence\$2 or residue\$1 or sidewall\$1 or side-wall\$1 or (side adj wall\$1)	USPAT;	2004/09/26 11:11
		or spacer\$1	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	230427	(top or upper or second) near3 electrode\$1	USPAT;	2004/09/24 16:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	710247	(lower or bottom or first) noor3 (alastes della er eletell)	IBM_TDB	2004/00/26 11:00
-	/1034/	(lower or bottom or first) near3 (electrode\$1 or plate\$1)	USPAT; US-PGPUB;	2004/09/26 11:09
	,		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	709023	(top or upper or second) near3 (electrode\$1 or plate\$1)	USPAT;	2004/09/26 11:09
		( 1 Lt	US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	459481	((lower or bottom or first) near3 (electrode\$1 or plate\$1)) and ((top or	USPĀT;	2004/09/24 16:38
		upper or second) near3 (electrode\$1 or plate\$1))	US-PGPUB;	
			EPO; JPO;	•
			DERWENT,	
			IBM_TDB	
-	4166	(FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPĀT;	2004/09/24 16:38
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	EPO; JPO;	
		memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
		plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1)))	IBM_TDB	

	584531	fence\$2 or residue\$1	USPAT;	2004/09/26 11:14
	50,551	TOTAL OF TOTAL OF THE TOTAL OF	US-PGPUB;	2007/07/20 11.14
	l		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	317	((FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or (ferro	USPAT;	2004/09/24 16:39
		adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj	US-PGPUB;	
		dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access adj	ЕРО; ЛРО;	
		memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
		plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1))))	IBM_TDB	
		and (fence\$2 or residue\$1)	_	
-	1400	(Ir or "Ir" or iridium) near15 barrier\$1	USPAT;	2004/09/26 11:14
			US-PGPUB;	
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	86	(((FeRAM\$ or ((Fe or "Fe" or (ferroelectric\$3 or ferro-electric\$3 or	USPAT;	2004/09/24 16:40
		(ferro adj electric\$3) or ferrodielectric\$1 or ferro-dielectric\$1 or (ferro	US-PGPUB;	
		adj dielectric\$1))) near3 (capacitor\$1 or (RAM\$1 or (random adj access	ЕРО; ЛРО;	
		adj memor\$3))))) and (((lower or bottom or first) near3 (electrode\$1 or	DERWENT;	
		plate\$1)) and ((top or upper or second) near3 (electrode\$1 or plate\$1))))	IBM_TDB	
	1205	and (fence\$2 or residue\$1)) and ((Ir or "Ir" or iridium) near15 barrier\$1)	TIOD ATT	2004/00/06 16 07
-	1395	(438/3).CCLS.	USPAT;	2004/09/26 12:05
	1121	(429/040) (001.0	US-PGPUB	2004/00/26 12 05
-	1131	(438/240).CCLS.	USPAT;	2004/09/26 12:05
	<u></u>		US-PGPUB	